CLEENOL For a cleaner, safer world

SAFETY DATA SHEET **DESCALER & TARNISH REMOVER**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name DESCALER & TARNISH REMOVER

Internal identification 010392X5

Container size 2x5L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Descaler. Tarnish remover.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

> Neville House Beaumont Road

Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Corr. 1 - H314 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

H314 Causes severe skin burns and eye damage. Hazard statements

Revision date: 04/05/2021 Revision: 22 Supersedes date: 01/02/2021

DESCALER & TARNISH REMOVER

Precautionary statements P260 Do not breathe vapour/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

Contains PHOSPHORIC ACID ... 65%

Supplementary precautionary

P264 Wash contaminated skin thoroughly after handling.

statements P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER/ doctor.
P321 Specific treatment (see medical advice on this label).

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

PHOSPHORIC ACID ... 65% 30-60%

Classification

Skin Corr. 1B - H314 Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances. If spray/mist

has been inhaled, proceed as follows. Remove affected person from source of contamination.

No special treatment required.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water

or milk to drink. Get medical attention if a large quantity has been ingested.

Skin contact Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if

symptoms are severe or persist after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Spray/mists may cause respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin contact Causes severe burns.

Eye contact Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

Thermal decomposition or combustion products may include the following substances:

products Corrosive gases or vapours.

5.3. Advice for firefighters

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will

provide a basic level of protection for shaming limited to

provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Do not touch or walk into spilled material. Wash

thoroughly after dealing with a spillage.

6.2. Environmental precautions

Environmental precautions The product may affect the acidity (pH) of water which may have hazardous effects on aquatic

organisms. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Dispose of

contents/container in accordance with local regulations. Following dilution and neutralisation,

discharge to the sewer with plenty of water may be permitted.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Do not get in eyes, on skin, or on clothing. Avoid breathing spray.

Avoid spilling.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container. Keep container tightly sealed when not in use.

Storage class Chemical storage. Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide

(PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

PHOSPHORIC ACID ... 65%

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ Short-term exposure limit (15-minute): WEL 2 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

No specific ventilation requirements.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Personal protective equipment for eye and face protection should

comply with European Standard EN166.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn. Wear protective

gloves made of the following material: Rubber (natural, latex). Nitrile rubber. To protect hands

from chemicals, gloves should comply with European Standard EN374.

Hygiene measures Wash promptly if skin becomes contaminated.

Respiratory protection Respiratory protection may be required if excessive airborne contamination occurs.

Respiratory protection must be used if the airborne contamination exceeds the recommended

occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Colourless.

Odour Mild. Acidic.

pH pH (concentrated solution): <1.5

Flash point Not applicable.

Relative density ~ 1.10 @ 20°C

Solubility(ies) Soluble in water.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not determined.

Viscosity Non-viscous.

Explosive properties Not applicable.

Oxidising properties The mixture itself has not been tested but none of the ingredient substances meet the criteria

for classification as oxidising.

9.2. Other information

Revision date: 04/05/2021 Revision: 22 Supersedes date: 01/02/2021

DESCALER & TARNISH REMOVER

Refractive index 11.5 - 13.5

Volatile organic compound This product contains a maximum VOC content of <1 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous No specific material or group of materials is likely to react with the product to produce a

reactions hazardous situation.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific requirements are anticipated under normal conditions of use. Avoid contact with

alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition Does not decompose when used and stored as recommended.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Inhalation Spray/mists may cause respiratory tract irritation.

Ingestion Corrosive. May cause chemical burns in mouth, oesophagus and stomach.

Skin contact Contact with concentrated chemical may cause severe skin damage.

Eye contact Causes serious eye damage.

Route of exposure Skin and/or eye contact

Medical considerations Pre-existing eye problems.

SECTION 12: Ecological information

Ecotoxicity The product may affect the acidity (pH) of water which may have hazardous effects on aquatic

organisms.

12.1. Toxicity

Toxicity The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degradability

Persistence and degradability The product contains inorganic substances which are not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

MobilityThe product contains substances which are water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3264

UN No. (IMDG) 3264

UN No. (ICAO) 3264

UN No. (ADN) 3264

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID)

Proper shipping name (IMDG) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID)

Proper shipping name (ICAO) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID)

Proper shipping name (ADN) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C1

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Revision date: 04/05/2021 Revision: 22 Supersedes date: 01/02/2021

DESCALER & TARNISH REMOVER

Transport labels



14.4. Packing group

ADR/RID packing group III
IMDG packing group III
ICAO packing group III
ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

IMDG Code segregation 1. Acids

group

EmS F-A, S-B

ADR transport category 3

Emergency Action Code 2X

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

work (as amended).

Guidance EH40/2005 Workplace exposure limits

Containing the list of workplace exposure limits for use with the Control of Substances

Hazardous to Health Regulations 2002 (as amended)

Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by Regulatory Chemist

Revision date 04/05/2021

Revision 22

Supersedes date 01/02/2021

SDS number 10048

Hazard statements in full H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.