Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Substance type:

BRILLIANT FABFRESH CLP Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Use of the Substance/Mixture : SOFTENING AID

Recommended restrictions on use : Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet:

COMPANY IDENTIFICATION Ecolab Ltd. PO Box 11; Winnington Avenue Northwich, Cheshire,, CW8 4DX, United Kingdom TEL: + 44 (0)1606 74488

LOCAL COMPANY IDENTIFICATION Ecolab Ltd. PO Box 11; Winnington Avenue Northwich, Cheshire,, CW8 4DX, United Kingdom

TEL: + 44 (0)1606 74488

For Product Safety information please contact: msdseame@nalco.com

1.4 Emergency telephone number:

Emergency telephone number	:	Trans-European +441618841235 +32-(0)3-575-5555 Trans-European Address European Economic Area HQ
----------------------------	---	--

Date of Compilation/Revision:	10.07.2019
Version Number:	1.0

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008) Eye irritation, Category 2 H319 2.2 Label elements Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms Signal Word Warning Hazard Statements H319 Causes serious eye irritation. 1 **Precautionary Statements** Prevention: : P280e Wear eye protection/face protection.

Special labelling of certain : Contains: 1,2-Benzisothiazolin-3-one May produce an allergic

mixtures

reaction.

2.3 Other hazards

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	Classification (REGULATION (EC) No 1272/2008)	Concentration: [%]
Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate- quaternized	931-216-1 01-2119472309-33	Skin irritation Category 2; H315 Eye irritation Category 2; H319	3 - < 5
Ethoxylated Tridecanol	24938-91-8	Serious eye damage/eye irritation Category 1; H318 Skin corrosion/irritation Category 2; H315	1 - < 2.5
1,2-Benzisothiazolin-3-one	2634-33-5 220-120-9	Acute toxicity Category 4; H302 Skin irritation Category 2; H315 Serious eye damage Category 1; H318 Skin sensitization Category 1; H317 Acute aquatic toxicity Category 1; H400	< 0.05
Substances with a workplace	exposure limit :		
Isopropanol	67-63-0 200-661-7 01-2119457558-25	Flammable liquids Category 2; H225 Eye irritation Category 2; H319 Specific target organ toxicity - single exposure Category 3; H336	0.5 - < 1

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

If inhaled	: Get medical attention if symptoms occur.
In case of skin contact	: Wash off with soap and plenty of water. Get medical attention if symptoms occur.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
Protection of first-aiders	: In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders.Use personal protective equipment as required.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

5.1 Extinguishing media

	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2	Special hazards arising from	the	e substance or mixture
	Specific hazards during firefighting	:	Not flammable or combustible.
	Hazardous combustion products	:	Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx)
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Use personal protective equipment.
	Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.
6.2 Environmental precautions	
Environmental precautions	: Do not allow contact with soil, surface or ground water.
6.3 Methods and materials for cor	ntainment and cleaning up
Methods for cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water.

6.4 Reference to other sections

See Section 1 for emergency contact information.

For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

For personal protection see section 8. See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	: Avoid contact with skin and eyes. Wash hands thoroughly after handling. Use only with adequate ventilation.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re- use. Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage, in	ncluding any incompatibilities
Requirements for storage areas and containers	: Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.
Suitable material	: Keep in properly labelled containers.
7.3 Specific end uses	
Specific use(s)	: SOFTENING AID

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.		Value type (Form of exposure)	Control parameters	Basis	
Isopropanol	67-63-0)	OELV - 8 hrs (TWA)	200 ppm	IR_OEL	
Further information			stances which have the capacity to penetrate intact skin when they come intact with it, and be absorbed into the body			
			OELV - 15 min (STEL)	400 ppm	IR_OEL	
Further information	Sk		ances which have the tact with it, and be abs	capacity to penetrate intact skin orbed into the body	when they come	

DNEL

Isopropanol	:	End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 888 mg/cm2
		End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 500 mg/m3
		End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 319 mg/cm2
		End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects Value: 89 mg/m3
End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 26 ppm

PNEC

FNLO	
Isopropanol	: Fresh water
	Value: 140.9 mg/l
	Marine support
	Marine water
	Value: 140.9 mg/l
	Intermittent use/release
	Value: 140.9 mg/l
	Fresh water
	Value: 552 mg/kg
	Marine sediment
	Value: 552 mg/kg
	value. 552 mg/kg
	Soil
	Value: 28 mg/kg
	Sewage treatment plant
	Value: 2251 mg/l
	Oral
	Value: 160 mg/kg

8.2 Exposure controls

Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice.Remove and wash contaminated clothing before re- use.Wash face, hands and any exposed skin thoroughly after handling.
Eye/face protection (EN 166)	:	Safety glasses with side-shields
Hand protection (EN 374)	:	Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.3 mm for nitrile rubber 0.2 mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin and body protection	:	Wear suitable protective clothing.

BRILLIANT FABFRESH			
(EN 14605)			
Respiratory protection (EN 143, 14387)	: When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or equivalent, with filter type:A-P		
Environmental exposure controls			
General advice	: Consider the provision of containment around storage vessels.		

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	blue, opaque
Odour	:	characteristic
Flash point	:	> 100 °C
рН	:	not determined
Odour Threshold		no data available
Melting point/freezing point		
Initial boiling point and boiling	:	
range		
Evaporation rate	:	no data available
Flammability (solid, gas)	:	no data available
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Relative density	:	0.995 - 1.015
Solubility(ies)		
Water solubility	:	soluble in cold water, soluble in hot water
Solubility in other solvents	:	no data available
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	no data available
Thermal decomposition	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available
Explosive properties	:	no data available
Oxidizing properties	:	no data available

9.2 Other information

no data available

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No d	angerous reaction known under conditions of normal use.
----------------------------	---

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : N	lone known
------------------------	------------

10.6 Hazardous decomposition products

Hazardous decomposition products	: Depending on combustion properties, decomposition products may include following materials:
	Carbon oxides nitrogen oxides (NOx)

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of exposure	: Inhalation, Eye contact, Skin contact
- • •	

Toxicity

<u>Product</u>	
Acute oral toxicity	: There is no data available for this product.
Acute inhalation toxicity	: There is no data available for this product.
Acute dermal toxicity	: There is no data available for this product.
Skin corrosion/irritation	: There is no data available for this product.
Serious eye damage/eye irritation	: There is no data available for this product.
Respiratory or skin sensitization	: There is no data available for this product.
Carcinogenicity	: There is no data available for this product.

Ingestion

Reproductive effects	:	There is no data available for this product.	
Germ cell mutagenicity	:	There is no data available for this product.	
Teratogenicity	:	There is no data available for this product.	
STOT - single exposure	:	There is no data available for this product.	
STOT - repeated exposure	:	There is no data available for this product.	
Aspiration toxicity	:	There is no data available for this product.	
Components			
Acute oral toxicity	:	Ethoxylated Tridecanol LD50 rat: 7,400 mg/kg	
		1,2-Benzisothiazolin-3-one LD50 rat: 1,020 mg/kg	
		Isopropanol LD50 rat: 5,840 mg/kg	
Components			
Acute inhalation toxicity	:	Isopropanol LC50 rat: > 30 mg/l Exposure time: 4 h Test atmosphere: vapour	
Components			
Acute dermal toxicity	:	Ethoxylated Tridecanol LD50 rat: > 2,000 mg/kg	
		Isopropanol LD50 rabbit: 12,870 mg/kg	
Potential Health Effects			
Eyes	:	Causes serious eye irritation.	
Skin	:	Health injuries are not known or expected under normal use.	
Ingestion	:	Health injuries are not known or expected under normal use.	
Inhalation	:	Health injuries are not known or expected under normal use.	
Chronic Exposure	:	Health injuries are not known or expected under normal use.	
Experience with human exposure			
Eye contact	:	Redness, Pain, Irritation	
Skin contact	:	No symptoms known or expected.	

: No symptoms known or expected.

Inhalation	:	No symptoms known or expected.
Further information	:	no data available

Section: 12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Product

Environmental Effects	: This product has no known ecotoxicological effects.
Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available
Components	
Toxicity to fish	: Ethoxylated Tridecanol 96 h LC50: 1.5 mg/l
	Isopropanol 96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l
Components	
Toxicity to daphnia and other aquatic invertebrates	: Isopropanol LC50 Daphnia magna (Water flea): > 10,000 mg/l
Components	
Toxicity to algae	 1,2-Benzisothiazolin-3-one 72 h EC50: 0.15 mg/l 72 h EC50: 0.15 mg/l
Components	
Toxicity to bacteria	: Isopropanol 1,050 mg/l
	• •

12.2 Persistence and degradability

Product	
no data available	
Components	
Biodegradability	: Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized Result: no data available
	Ethoxylated Tridecanol Result: Readily biodegradable.

1,2-Benzisothiazolin-3-one Result: Not applicable - inorganic

Isopropanol Result: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product	 Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.
Guidance for Waste Code selection	: Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)	Not applicable.
14.1 UN number:	PRODUCT IS NOT REGULATED DURING
14.2 UN proper shipping name:	TRANSPORTATION
14.3 Transport hazard class(es):	Not applicable.
14.4 Packing group:	Not applicable.
14.5 Environmental hazards:	No
14.6 Special precautions for user:	Not applicable.
Air transport (IATA)	Not applicable.
14.1 UN number:	PRODUCT IS NOT REGULATED DURING
14.2 UN proper shipping name:	TRANSPORTATION
14.3 Transport hazard class(es):	Not applicable.
14.4 Packing group:	Not applicable.
14.5 Environmental hazards:	No
14.6 Special precautions for user:	Not applicable.
Sea transport (IMDG/IMO) 14.1 UN number: 14.2 UN proper shipping name: 14.3 Transport hazard class(es): 14.4 Packing group: 14.5 Environmental hazards: 14.6 Special precautions for user: 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	Not applicable. PRODUCT IS NOT REGULATED DURING TRANSPORTATION Not applicable. Not applicable. No Not applicable. Not applicable.

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

INTERNATIONAL CHEMICAL CONTROL LAWS

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification		Justification
Eye irritation 2, H319		Calculation method
Full text of H-Statements		
H225	Highly flammable liquid ar	nd vapour.
H302	Harmful if swallowed.	
H315 Causes skin irritation.		

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.

Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx -Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS -Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet	:	IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.
		The possible key literature references and data sources which may have been used in conjunction with the consideration of expert judgment to compile this Safety Data Sheet: European regulations/directives (including (EC) No. 1907/2006, (EC) No. 1272/2008), supplier data, inter-net, ESIS, IUCLID, ERIcards, Non European official regulatory data and other data sources.
Prepared By	:	Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.