

NORSAN UK 12 GATWICK DISTRIBUTION CENTRE CRAWLEY WEST SUSSEX RH10 9RW

TEL: 0845 340 3230 FAX: 0845 034 3239 EMAIL: sales@norsan.co.uk WEB: www.norsan.co.uk

# MATERIAL SAFETY DATA SHEET PRODUCT INFORMATION

# SANAIR

# SECTION 1: IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# **1.1 PRODUCT IDENTIFIER**

# NORSAN SANAIR Concentrated Odour Neutralising

Bactericidal Cleaner

# **1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET**

NORSAN UK 12 GATWICK DISTRIBUTION CENTRE CRAWLEY WEST SUSSEX RH10 9RW 1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE/MIXTURE AND USES ADVISED AGAINST

#### General Description:

A phosphate free and biodegradable air conditioner that neutralises unpleasant odours leaving a lasting fresh fragrance. Formulated with active ingredients that instantly destroy the smell of urine, vomit, mildew, smoke and other repugnant smells it is perfect for use in any number of environments from healthcare to the licensed trade. An extremely efficient bactericidal cleaner that actively penetrates solied surfaces killing practically every type of bacteria including MRSA. At a dilution of 1:20 conforms to BS/ EN 1276, BS/EN 13704 and BS/EN 13727. Can be used safely on all floors, walls, tiles, stainless steel, chrome fixtures, carpets, modern furniture and office equipment as well as a pre-wash soak chemical for laundry items.

#### Directions For Use:

To make one 500ML trigger spray dose 25ML and fill to top with fresh clean water, spray onto desired surface and wipe down using a dedicated cloth. For general bucket cleaning (depending on level of dirt) dilute 1:15/1:20 and apply sparingly to desired surface. For carpet extraction machines dose 250ML into 5LT water. Always pre-spot and test surfaces first as carpet dyes vary.

TEL: 0845 340 3230 | EMAIL: msds@norsan.co.uk

# **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION UNDER CLP (EC) NO 1272/2008 [EU-GHS/CLP]

PHYSICAL AND CHEMICAL HAZARDS

ENVIRONMENT

CLASSIFICATION UNDER CHIP (67/548/EEC OR 1999/45/EEC)

**2.2 LABEL ELEMENTS** 

**PICTOGRAM CODE** 

PICTOGRAM

Not classified. Skin. Irrit. 2, Eye. Irrit. 2 Not classified.

xi;R36/38

GHS07



WARNING

SIGNAL WORD

HAZARD STATEMENTS

H315 - Causes skin irritation.

**MATERIAL SAFETY DATA SHEET PRODUCT INFORMATION - PAGE 1** 

#### **PRECAUTIONARY STATEMENTS**

H319 - Causes serious eye irritation.

#### PREVENTION

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

STORAGE P102 - Keep out of reach of children.

RESPONSE

P302+P352 IF ON SKIN: Wash with plenty of water. P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+313: If skin irritation occurs: Get medical advice/attention. P337+313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse

DISPOSAL

P501 - Dispose of contents/container to licensed waste disposal site.

#### 2.3 OTHER HAZARDS

EUROPEAN UNION (DANGEROUS SUBSTANCES DIRECTIVE)

EUH none

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### **3.1 MIXTURES**

SUBSTANCE	CAS. NO	EINECS No.	HAZARD	RANGE
Benzyl C10-16 alkyldimethyl, chlorides	68424-85-1	270-325-2	H302, H314, H400	<5%
Alcohol Ethoxylate	68439-45-2	Polymer	H302, H318	<5%

# **SECTION 4: FIRST AID MEASURES**

#### **4.1 DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	Remove contaminated clothing and wash before reuse.
AFTER INHALATION	Ensure supply of fresh air.
AFTER CONTACT WITH SKIN	Wash from skin immediately. If skin becomes sore or inflamed seek medical attention.
AFTER CONTACT WITH EYES	Irrigate with water for 10 to 15 minutes until irritation subsides and seek medical attention.
AFTER INGESTION	If conscious, give plenty of water to drink, do not induce vomiting, obtain medical attention immediately.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

The severity of symptoms described will vary depending on concentration and length of exposure.

INHALATION

**CONTACT WITH SKIN** 

**CONTACT WITH EYES** 

Eye irritation and reddening.

INGESTION

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically. Use water to neutralize product in the case of skin, eye contact or ingestion.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### **5.1 SUITABLE EXTINGUISHING MEDIA**

This product is not flammable. Use fire extinguishing media appropriate for surrounding area.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

May produce oxides of carbon, nitrogen, sodium and sulphur.

#### **5.3 ADVICE FOR FIRE FIGHTERS**

Wear self-contained breathing apparatus and protective clothing as appropriate to the associated fire.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Always use appropriate PPE. Avoid breathing dust/vapours (if any) and ensure adequate ventilation. Cordon off area to other personnel.

#### **6.2 ENVIRONMENTAL PRECAUTION**

Do not allow to enter surface water drains, soil/subsoil. Spillages or discharges into water course must be reported immediately to environment agency.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Absorb with sand or binder and dispose of according to local regulations. Small spillages may be flushed to a foul drain.

#### **6.4 REFERENCE TO OTHER SECTIONS**

See Section 8 and 13 for more information on exposure and disposal.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Provide good ventilation in working area. Wash hands after use and do not allow to enter surface water drains.

#### 7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store only in original containers out of reach of children. Storage temperature should be between 5°C and 30°C.

#### 7.3 SPECIFIC END USE(S)

See section 1.2 and label.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 CONTROL PARAMETERS

Contains no substances with known occupational exposure limits.

#### 8.2 EXPOSURE CONTROLS

Do not eat, drink or smoke whilst working and wash hands after use.

#### PICTOGRAM(S)



WEAR SUITABLE WEAR SUITABLE EYE HAND PROTECTION PROTECTION

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/ODOUR	Green fragranced liquid (Method: QP22).
PH LEVEL	6.5 - 7 (Method: QP03).
FLAMMABLE/FLASH POINT	Not flammable.
SOLUBILITY	Soluble/dispersible in water.
VISCOSITY	Non viscous @20'C (Method: QP04).

#### 9.2 OTHER INFORMATION

No information available.

# MATERIAL SAFETY DATA SHEET PRODUCT INFORMATION - PAGE 3

# SECTION 10: STABILITY AND REACTIVITY

#### **10.1 REACTIVITY**

Not known to react with other chemicals.

**10.2 CHEMICAL STABILITY** 

No stability concerns.

**10.3 POSSIBILITY OF HAZARDOUS REACTION** 

None known.

## **10.4 CONDITIONS TO AVOID**

None known.

## **10.5 INCOMPATIBLE MATERIALS**

None known.

#### **10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

May produce toxic products of combustion when invoved with a fire.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### **11.1. INFORMATION ON TOXICOLOGICAL EFFECTS**

INHALATION

**CONTACT WITH SKIN** 

**CONTACT WITH EYES** 

Eye irritation and reddening.

INGESTION

# **SECTION 12: ECOLOGICAL INFORMATION**

#### ECOTOXICITY

Not regarded as dangerous for the environment.

#### **12.1 TOXICITY**

No aquatic testing has been carried out for this product.

**12.2. PERSISTENCE AND DEGRADABILITY** 

Product regarded as biodegradable.

**12.3. BIOACCUMULATIVE POTENTIAL** 

#### **12.4. MOBILITY IN SOIL**

**12.5. RESULTS OF PBT AND VPVB ASSESSMENT** 

**12.6. OTHER ADVERSE EFFECTS** 

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### **13.1. WASTE TREATMENT METHODS**

This product is not classified as hazardous waste under the special waste (amendment) regulations (SI 1996/2019). For disposal contact a licensed waste management company. Rinse out container at least twice in water and recycle if facilities exist or dispose of as commercial waste. European waste catalogue: 20 01 29.

# **SECTION 14: TRANSPORT INFORMATION**

14.1. UN NUMBER
IRRI
14.2. UN PROPER SHIPPING NAME
NORSAN SANAIR
14.3. TRANSPORT HAZARD CLASS(ES)
IRRITANT
14.4. PACKING GROUP

#### 14.7. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

STATUTORY INSTRUMENTS	Classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.
APPROVED CODE OF PRACTICE	Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.
GUIDANCE NOTES	ECHA Guidance on the application of CLP criteria (Version 4: November 2013). ECHA Guidance on the compilation of safety data sheets (Version 2.1: February 2014)

#### **15.2. CHEMICAL SAFETY ASSESSMENT**

No chemical safety assessment has been carried out as product is a mixture.

#### **SECTION 16: OTHER INFORMATION**

#### **16.1. REVISION COMMENTS**

This product is now using classification from GHS/CLP- Regulation (EC) No 1272/2008 classification and labelling & packaging of. The risk statements listed below relate to the raw materials in the product not the product itself.

RISK PHRASES IN FULL (CHIP)	R36/38 - Irritating to eyes and skin.
HAZARD STATEMENT IN FULL (CLP)	H302 - Harmful if swallowed.
	H314 - Causes severe skin burns and eye damage.
	H318 - Causes serious eye damage.
	H400 - Very toxic to aquatic life.

#### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use. The user assumes all liability for any damage or injury resulting from abnormal use, from the failure to adhere to recommended practises, or from hazards inherent in the nature of the product. In accordance with our policy of incorporating technical improvements, we reserve the right to amend any specification without notice.