

SAFETY DATA SHEET Cutan Complete Gel Hand Sanitiser

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Cutan Complete Gel Hand Sanitiser

Product number CAG392, CAG50ML, CAG400P

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses PT1 Human Hygiene Biocidal Product For full details regarding recommended uses please

refer to the product label.

1.3. Details of the supplier of the safety data sheet

Supplier SC Johnson Professional Ltd

Denby Hall Way

Denby Derbyshire DE5 8JZ

+44 (0) 1773 855100 sdsuk@scj.com

1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)

National Poisons Information Centre (Eire) 01-8092566/8379964

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 2 - H225

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms





Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Cutan Complete Gel Hand Sanitiser

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

P404 Store in a closed container.

P501 Dispose of contents/ container in accordance with local regulations.

Supplemental label

information

BPR001 Use biocides safely. Always read the label and product information before use.

statements

Supplementary precautionary P233 Keep container tightly closed.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHANOL 60-100%

CAS number: 64-17-5 EC number: 200-578-6 REACH registration number: 01-

2119457610-43-XXXX

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319

GLYCERIN 1-10%

CAS number: 56-81-5 EC number: 200-289-5 REACH registration number: 01-

2119471987-18-XXXX

Classification

Not Classified

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing.

Ingestion DO NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to

an unconscious person.

Skin contact Not relevant.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation No specific symptoms known.

Ingestion May cause nausea, headache, dizziness and intoxication.

Cutan Complete Gel Hand Sanitiser

Skin contact None known.

Eye contact This product is moderately irritating.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctorNo specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Water spray, fog or mist. Foam, carbon dioxide or dry

powder. Dry chemicals, sand, dolomite etc.

5.2. Special hazards arising from the substance or mixture

Specific hazards Highly flammable liquid and vapour. May form explosive mixture with air at very high

concentration.

Hazardous combustion

products

Oxides of carbon.

5.3. Advice for firefighters

Protective actions during

firefighting

Fight fire from safe distance or protected location.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand,

earth or other suitable non-combustible material.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near

spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into

containers. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Keep away from heat, sparks and open flame.

Avoid contact with eyes. Avoid contact with eyes. Provide adequate general and local exhaust

ventilation. Provide adequate general and local exhaust ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away

from heat, sparks and open flame. Store at temperatures between 0°C and 30°C. Take

precautionary measures against static discharges.

Storage class Flammable liquid storage.

Cutan Complete Gel Hand Sanitiser

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

GLYCERIN

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

ETHANOL (CAS: 64-17-5)

DNEL Professional - Inhalation; local effects: 1900 mg/m³

Professional - Dermal; Long term systemic effects: 343 mg/kg/day Professional - Inhalation; Long term systemic effects: 950 mg/m³

Consumer - Inhalation; local effects: 950 mg/m³

Consumer - Dermal; Long term systemic effects: 206 mg/kg/day Consumer - Inhalation; Long term systemic effects: 114 mg/m³ Consumer - Oral; Long term systemic effects: 87 mg/kg/day

PNEC - marine water; 0.79 mg/l

- Fresh water; 0.96 mg/l

- Intermittent release; 2.75 mg/l

- STP; 580 mg/l

Sediment (Freshwater); 3.46 mg/kgSediment (Marinewater); 2.9 mg/l

- Soil; 0.63 mg/kg

GLYCERIN (CAS: 56-81-5)

DNEL Workers - Inhalation; Long term local effects: 56 mg/m³

General population - Inhalation; Long term local effects: 33 mg/m³ General population - Oral; Long term systemic effects: 229 mg/kg/day

PNEC Fresh water; 0.885 mg/l

marine water; 0.088 mg/l

STP; 1000 mg/l

Sediment (Freshwater); 3.3 mg/kg Sediment (Marinewater); 0.33 mg/kg

Soil; 0.141 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Not relevant.

Cutan Complete Gel Hand Sanitiser

Eye/face protection Not required normally but wear eye protection if you are conducting an operation where there

is a risk of this product getting in the eyes. Personal protective equipment for eye and face

protection should comply with European Standard EN166.

Hand protection Not relevant.

Respiratory protection Not relevant.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Viscous liquid.

Colour Colourless to pale yellow.

Odour Alcoholic.

Odour threshold Not determined.

pH pH (concentrated solution): 8.1

Melting point <20°C

Initial boiling point and range 80 -90°C @

Flash point 15.3°C Pensky-Martens closed cup.

Evaporation rate Not determined.

Upper/lower flammability or

explosive limits

Not determined. Lower flammable/explosive limit: 3.5 % (V) Ethanol Upper

flammable/explosive limit: 15 % (V) Ethanol

Vapour pressure 300 hPa @ 55°C

Vapour density Not determined.

Relative density 0.845 @ 20°C

Solubility(ies) Soluble in water.

Partition coefficient Not determined.

Auto-ignition temperature 475 C°C

Decomposition Temperature Not determined.

Viscosity 3000-7000 mPa s @ 20°C

Explosive properties Not determined.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Cutan Complete Gel Hand Sanitiser

Possibility of hazardous

reactions

Not known.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

Oxides of carbon.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD50) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀)

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vivoDoes not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity -

Does not contain any substances known to be toxic to reproduction.

development

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information No specific health hazards known.

Inhalation No specific health hazards known.

Cutan Complete Gel Hand Sanitiser

Ingestion May cause nausea, headache, dizziness and intoxication.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact Irritating to eyes. Symptoms following overexposure may include the following: Redness.

Pain

Toxicological information on ingredients.

ETHANOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 10,470.0

mg/kg)

Species Rat

ATE oral (mg/kg) 10,470.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 20,000.0

mg/kg)

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation

(LC50 vapours mg/l)

117.0

Species Rat

ATE inhalation (vapours

mg/l)

117.0

Skin corrosion/irritation

Animal data Oedema score: Very slight oedema - barely perceptible (1).

SECTION 12: Ecological information

Ecotoxicity The product does not meet the requirement for classification as an environmental hazard in

accordance with directive 1999/45/EEC

12.1. Toxicity

Toxicity The product is not expected to be toxic to aquatic organisms.

Ecological information on ingredients.

ETHANOL

Acute aquatic toxicity

Acute toxicity - fish LC50, 96 hours: 15300 mg/l, Pimephales promelas (Fat-head Minnow)

LC₅₀, 96 hours: mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, : 858 24H mg/l, Marinewater invertebrates EC₅₀, > 48 hours: 10000 mg/l, Daphnia magna

EC₅₀, 48 hours: mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅₀, 72 hours: 275 mg/l, Freshwater algae

IC₅₀, 72 hours: 5000 mg/l, Algae

12.2. Persistence and degradability

Cutan Complete Gel Hand Sanitiser

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

Disposal methods This material and its container must be disposed of as hazardous waste. Dispose of waste

product or used containers in accordance with local regulations Reuse or recycle products

wherever possible.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1170

UN No. (IMDG) 1170

UN No. (ICAO) 1170

UN No. (ADN) 1170

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (IMDG) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (ICAO) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (ADN) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

Cutan Complete Gel Hand Sanitiser

Transport labels



14.4. Packing group

ADR/RID packing group II
IMDG packing group II
ICAO packing group II
ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-E, S-D

ADR transport category 2

Emergency Action Code •2YE

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

33

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Use biocides safely. Always read the label and product information before use.

Cutan Complete Gel Hand Sanitiser

Key literature references and

sources for data

Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the

appropriate relevant information is incorporated into this Safety Data Sheet.

Revision comments Revision of information NOTE: Lines within the margin indicate significant changes from the

previous revision.

Revision date 11/12/2018

Revision 10

Supersedes date 25/04/2018

SDS number 21689

Hazard statements in full H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Notes for Hazard Statements

in Full

The full text for Hazard Statements in section 16 relates to the reference numbers in sections

2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.