



Comfort Pure Professional

Revision: 2022-12-09

Version: 12.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Comfort Pure Professional

Comfort is a registered trade mark and is used under licence of Unilever

UFI: UQP4-P0VQ-C00Q-7QC8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Laundry conditioner.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_2
PC35-Washing and cleaning products
AISE_SWED_PW_1_1
AISE_SWED_PW_4_1
AISE_SWED_PW_19_1
PC35-Washing and cleaning products

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not classified as hazardous

2.2 Label elements

Contains 1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione (DMDM Hydantoin)

Hazard statements:

EUH208 - May produce an allergic reaction.

Precautionary statements:

P102 - Keep out of reach of children.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
---------------	-----------	------------	--------------	----------------	-------	----------------

Comfort Pure Professional

fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	295-344-3	91995-81-2	-	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		1-3
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	229-222-8	6440-58-0	01-2119976015-37	Acute Tox. 4 (H302)		0.1-1
Silica, amorphous, fumed, crystalline-free	601-216-3	112945-52-5	-	Not classified as hazardous	[12]	< 0.01

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

[12] nanoform.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	No known effects or symptoms in normal use.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless advised by Diversey. Wash hands thoroughly after handling.

Comfort Pure Professional

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. Keep out of reach of children. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
Silica, amorphous, fumed, crystalline-free	6 mg/m ³ inhalable dust 2.4 mg/m ³ respirable dust	18 mg/m ³ inhalable dust 7.2 mg/m ³ respirable dust

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-	-	-	10
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available	-	No data available	20
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available	-	No data available	10
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-	-	-	70.6
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-	-	-	17.4
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh	Surface water, marine	Intermittent (mg/l)	Sewage treatment

Comfort Pure Professional

	(mg/l)	(mg/l)		plant (mg/l)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	0.51	0.051	0.11	10
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-	-	-	-
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
PC35-Washing and cleaning products	PC35-Washing and cleaning products	C	-	-	ERC8a
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 5

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
PC35-Washing and cleaning products	PC35-Washing and cleaning products	C	-	-	ERC8a
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Comfort Pure Professional

Physical state: Liquid
Colour: Opaque , White
Odour: Product specific
Odour threshold: Not applicable
Melting point/freezing point (°C): Not determined
Initial boiling point and boiling range (°C): Not determined

Method / remark

Not relevant to classification of this product
 See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available		
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available		
Silica, amorphous, fumed, crystalline-free	No data available		

Method / remark

Flammability (solid, gas): Not applicable to liquids
Flammability (liquid): Not flammable.
Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
 (UN Manual of Tests and Criteria, section 32, L.2)
Lower and upper explosion limit/flammability limit (%): Not determined

See substance data

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
pH: ≈ 3 (neat)
Kinematic viscosity: ≈ 25 mPa.s (20 °C)
Solubility in / Miscibility with water: Fully miscible

ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available		
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available		
Silica, amorphous, fumed, crystalline-free	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark**Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available		
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available		
Silica, amorphous, fumed, crystalline-free	No data available		

Method / remark

Relative density: ≈ 1.00 (20 °C)
Relative vapour density: No data available.
Particle characteristics: No data available.

OECD 109 (EU A.3)
 Not relevant to classification of this product
 Not applicable to liquids.

9.2 Other information**9.2.1 Information with regard to physical hazard classes**

Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	LD ₅₀	> 5000	Rat	Method not given		Not established
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	LD ₅₀	1572	Rat	EPA OPP 81-1 Substance was tested as 55 % aqueous solution		1.4e+006
Silica, amorphous, fumed, crystalline-free		No data available				Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available				Not established
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	LD ₅₀	> 1052	Rabbit	EPA OPP 81-2 Substance was tested as 52.6 % aqueous solution		Not established
Silica, amorphous, fumed, crystalline-free		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione		No data available			
Silica, amorphous, fumed, crystalline-free		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	Not established	Not established	Not established	Not established
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Not established	Not established	Not established	Not established
Silica, amorphous, fumed, crystalline-free	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Not irritant	Rabbit	EPA OPP 81-5	4 hour(s)
Silica, amorphous, fumed, crystalline-free	No data available			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Not corrosive or irritant	Rabbit	EPA OPP 81-4	
Silica, amorphous, fumed, crystalline-free	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available			
Silica, amorphous, fumed, crystalline-free	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
Silica, amorphous, fumed, crystalline-free	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available			
Silica, amorphous, fumed, crystalline-free	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available		No data available	
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available		No data available	
Silica, amorphous, fumed, crystalline-free	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available
Silica, amorphous, fumed, crystalline-free	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized			No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione			No data available				
Silica, amorphous, fumed, crystalline-free			No data available				

Comfort Pure Professional

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione		No data available				
Silica, amorphous, fumed, crystalline-free		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione		No data available				
Silica, amorphous, fumed, crystalline-free		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione		No data available				
Silica, amorphous, fumed, crystalline-free		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized			No data available					
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione			No data available					
Silica, amorphous, fumed, crystalline-free			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available
Silica, amorphous, fumed, crystalline-free	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available
Silica, amorphous, fumed, crystalline-free	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

Comfort Pure Professional

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	LC ₅₀	1.91	<i>Oncorhynchus mykiss</i>	Read across	96
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	LC ₅₀	> 82.3	<i>Brachydanio rerio</i>	OECD 203, semi-static	96
Silica, amorphous, fumed, crystalline-free	LC ₅₀	> 100		OECD 203, static	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	EC ₅₀	2.23	<i>Daphnia magna Straus</i>	Read across	48
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	EC ₅₀	29.1	<i>Daphnia magna Straus</i>	OECD 202, semi-static	48
Silica, amorphous, fumed, crystalline-free	EC ₅₀	> 1000	<i>Daphnia magna Straus</i>	OECD 202, static	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	IC ₅₀	1.48	<i>Not specified</i>	Read across	72
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	EC ₅₀	11	<i>Desmodesmus subspicatus</i>	OECD 201, static	72
Silica, amorphous, fumed, crystalline-free	EC ₅₀	> 100	<i>Desmodesmus subspicatus</i>	OECD 201, static	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione		No data available			
Silica, amorphous, fumed, crystalline-free		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	EC ₅₀	> 100	<i>Activated sludge</i>	OECD 209	3 hour(s)
Silica, amorphous, fumed, crystalline-free		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione		No data available				
Silica, amorphous, fumed, crystalline-free		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione		No data available				
Silica, amorphous, fumed, crystalline-free		No data available				

Comfort Pure Professional

		available			
--	--	-----------	--	--	--

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione		No data available				
Silica, amorphous, fumed, crystalline-free		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized			98.9% in 28 day(s)	OECD 301B	Readily biodegradable
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Activated sludge, aerobic	DOC reduction	95% in 28 day(s)	OECD 301A	Readily biodegradable
Silica, amorphous, fumed, crystalline-free					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-2.9	Method not given		at 20 °C
Silica, amorphous, fumed, crystalline-free	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	< 1.79		OECD 305	No bioaccumulation expected	
Silica, amorphous, fumed, crystalline-free	No data available				

Comfort Pure Professional

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available				
Silica, amorphous, fumed, crystalline-free	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 30 - detergents other than those mentioned in 20 01 29.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number:** Non-dangerous goods**14.2 UN proper shipping name:** Non-dangerous goods**14.3 Transport hazard class(es):** Non-dangerous goods**14.4 Packing group:** Non-dangerous goods**14.5 Environmental hazards:** Non-dangerous goods**14.6 Special precautions for user:** Non-dangerous goods**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** Non-dangerous goods**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.**Ingredients according to Detergents Regulation**

cationic surfactants

< 5 %

perfumes , DMDM Hydantoin, Potassium Sorbate

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS3905

Version: 12.2

Revision: 2022-12-09

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 3, 7, 8, 9, 11, 12, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H319 - Causes serious eye irritation.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet